



Milkiwean



Yoghurt

From
day 1

For higher growth rates from day 1 to slaughter

- ◆ High dry matter intake (200 - 300 gram extra)
- ◆ Higher weaning weight
- ◆ More weaned piglets per litter (0,5 - 1 piglet more)
- ◆ More uniform litters
- ◆ Less fattening days (up to 4 days)
- ◆ Suitable for manual and automatic feeding system

Milkiwean Yoghurt is part of the optimal Milkiwean feeding program.



What is Milkiwean Yoghurt?

- A supplementary liquid diet for young piglets.
- Formulated for use after initial colostrum intake.
- Contains three times as much dry matter as regular milk substitutes.
- Specially designed to avoid overeating and support a good functioning of the digestive system.
- Very palatable and highly digestible.

Milkiwean Yoghurt in combination with Milkiwean Precoce and Milkiwean Granito is the optimal Milkiwean pre-weaning program for total piglet performance. For piglets >7 kg use Milkiwean Spido from day 25 until 42 (weaning at 21 days).



FEED SCHEDULE


AGE	FEEDINGS PER DAY	AMOUNT PER LITTER / FEEDING
DAY 1*	1	75 – 125 ml
DAY 2	2	150 – 200 ml
DAY 3-4	2	200 – 300 ml
DAY 5-8	2	400 – 600 ml
DAY 9-13	2	750 ml – 1,25 l
DAY 13-14	1	1 – 1,5 l

* DAY 1 = day of birth. From 12 hours after birth start with feeding.


Attention:

This feeding schedule is a guideline. Lower the volume when piglets do not take in full dosage; raise the volume when intake is good. The daily ration is depending on several management factors, like the sow's milk production, the climate and litter size.

PREPARATION



Dissolve Milkiwean Yoghurt at a ratio of 1 : 2,5 = 1 kg powder + 2,5 l luke warm water (45°C).



A piglet bowl stimulates feed intake. Milkiwean Yoghurt is suitable for manual and automatic feeding.

Application

- Piglets need to take in sufficient colostrum.
- Start feeding Milkiwean Yoghurt in small portions 12 hours after birth.
- Feed Milkiwean Yoghurt in a bowl twice daily.
- Adjust the amount to make sure the piglets empty the bowl every 24 hours.
- From day 14, gradually change over to pre-weaning feed.

NB: Feed intake can vary between litters and weak groups.

To increase feed intake on the first days after weaning Milkiwean Yoghurt can be used as a top-dressing on top of the weaner diet to enhance palatability.






Higher performance,
higher profitability

LIFESTART
SETS LIFE
PERFORMANCE

**Feeding Milkiwean
Yoghurt in the first
days of a piglet's
life results in:**

- Higher weaning weight
- Higher nursery weight
- Less fattening days



Source: Feed Trial Jean-Rouccou, France (October 2011)